

# PRODUCT RELEASE ANNOUNCEMENT

Product Category	TRANSLATE
Product Group	CREO <> NX
Release Version	25.0

Document Type	Product Release Announcement
Status	Released
Revision	1.1
Author	Matt Bennett
Issued	01/04/2022



# PRODUCT RELEASE ANNOUNCEMENT



### Contents

History	2
Product Codes	3
Supported Application Revisions	4
Supported Operating Systems	4
Distribution Media	4
New Features / Enhancements	5
Creo <> NX	5
Known Limitations and Restrictions	6
General	6
Creo <> NX	6
Resolved Support Calls	7
Creo <> NX	7





# History

Revision	Update Information
1.0	Initial Release.
1.1	Updated to include V25.0 UI links and removal of General Limitation ref ID 1 describing current V24.2 UI to use until V25.0 release





### **Product Codes**

### **Product Code Product Description**

CRENX-B1	Creo Parametric <> NX Bi-Directional Translator
CRENX-U1	Creo Parametric > NX Uni-Directional Translator
NXCRE-U1	NX > Creo Parametric Uni-Directional Translator





# **Supported Application Revisions**

The following application revisions have been qualified with this release

Application	Revision
Creo Parametric	4.0 (M030 and above are supported)
	7.0
	8.0
NX	1953
	1980
	2007

# **Supported Operating Systems**

The following operating systems have been qualified with this release

Operating System Qualification St	Status
-----------------------------------	--------

Windows 10	Qualified and fully supported

### Distribution Media

CD images of the latest release are available from the following download sites.

Software	Required for	URL for CD image download
Installation Media	Interactive & On-Demand	CAD 25.0 CRENX WIN.01
Unified Interface	On-Demand only	<u>CAD 25.0 UI WIN.01</u>
License Server	Interactive & On-Demand	CAD_FLEXLM_11.17_WIN.01





# New Features / Enhancements

The following new features or enhancements have been introduced with this release

#### Creo <> NX

#### Ref ID New Feature / Enhancement Description

1	Support for NX 1980 & NX 2007
2	Creo 4.0 M080 and above are now supported
3	Creo Write now splits attributes longer than 80 characters into multiple attributes rather than truncating into 80 characters.
4	Creo Write new option <i>sanitise_attrs</i> to control the removal of non-standard characters in attributes. Off by default.





### **Known Limitations and Restrictions**

The following limitations and restrictions have been identified during final testing prior to release

#### General

**Ref ID** Limitations and Restrictions

#### Creo <> NX

1

#### **Ref ID** Limitations and Restrictions

Export and Import from within NX is not available due to the use of the .prt file extension by both systems.





# **Resolved Support Calls**

The following list of Support Calls are resolved with this release

Creo <> NX

CAS-04641-Q2M2L0

No new Support Calls logged since previous V24.1 release.

Support Call ID	bilei Description
CAS-04632-N0S8X8	Locked parameters not being read into NX

Option use\_parts working inconsistently

