Product Release Announcement

Product Category	CADTranslate
Product Group	3DExperience <> JT
Product Release Version	26.2

Document Type	Product Release Announcement
Document Status	Released
Document Revision	1.0
Document Author	Product Manager
Document Issued	26/01/2024

Table of Contents

History

Revision	Update Information
1.0	Initial document release for Version 26.2

Product Codes

Product Code	Product Description
MC6JT-B1	3DExperience <> JT Bi-Directional Base Product
MC6JT-A1	3DExperience <> JT Bi-Directional PMI Add-on Module
MC6JT-U1	3DExperience > JT Uni-Directional Base Product
MC6JT-A2	3DExperience > JT Uni-Directional PMI Add-on Module
JTMC6-U1	JT > 3DExperience Uni-Directional Base Product
JTMC6-A1	JT > 3DExperience Uni-Directional PMI Add-on Module

Supported Application Revisions

The following application revisions have been qualified with this release

Application	Revision
3DExperience	2021x, 2022x, 2023x
JT Open	JTTK 11.3

Supported Operating Systems

The following operating systems have been qualified with this release

Operating System	Qualification Status
Windows 10 64bit	Qualified and fully supported

Installation Media

CD images of the latest release are available from the following download sites.

Product	URL for CD image download
All supported versions of 3DExperience	CAD_26.2_MC6JT_WIN.03

Licensing System (FlexLM)

The licensing server has been upgraded to version 11.19. It is recommended that you upgrade your server to this version

Product	URL for CD Image download
Flex License Server	CAD_FLEXLM_11.19_WIN.01.msi

New Features / Enhancements

The following new features or enhancements have been introduced with this release

Ref ID	New Feature / Enhancement Description
1	Support for 3DExperience 2023x

Known Limitations and Restrictions

The following limitations and restrictions have been identified during final testing prior to release

Ref ID	Limitations and Restrictions
1	Issue with translation from 3DExperience when adding a JT configuration into the configuration manager. Geometry is not displayed in JT output produced. A different configuration can be added to the xcad_jt_opts.txt file available in ***<Translator_installation_directory>\data\jt.*** This will need to replace the default JT configuration specified on line 61 under JT Write Options. The -z will need to remain.

Resolved Support Calls

The following list of Support Calls are resolved with this release

Support Call ID	Brief Description

THEOREM
SOLUTIONS